ELSEVIER

Journal of Magnetism and Magnetic Materials 196–197 (1999) xiii–xxvi

Journal of magnetism and magnetic materials

Contents

Preface xi

J.M.D. Coey
Whither magnetic materials? (*Invited paper*) 1

1. Thin films, magnetic multilayers, surface and fine particles

J.A.C. Bland, B.-Ch. Choi, S. Hope and M. Tselepi
Atomic scale evolution of magnetic anisotropies (*Invited paper*) 8

J.B. Sousa, M.M. Pereira de Azevedo, M.S. Rogalski, Yu.G. Pogorelov, L.M. Redondo, C.M. de Jesus, J.G. Marques, M.F. da Silva, J.C. Soares, J.-C. Ousset and E. Snoeck
GMR in high fluence ion implanted granular thin films (*Invited paper*) 13

F. Bødker, S. Mørup, S.W. Charles and S. Linderoth
Surface oxidation of cobalt nanoparticles studied by Mössbauer spectroscopy 18

G.T. Pérez, F.H. Salas, R. Morales, L.M. Álvarez-Prado and J.M. Alameda
Periodical magnetic effects in Fe_xSi_{1-x}/Si multilayers, depending upon the modulation length 20

A. Asenjo, J.M. García, D. García, A. Hernando, M. Vázquez, P.A. Caro, D. Ravelosona, A. Cebollada and F. Briones
MFM imaging of FePd stripe domains. Evolution with Pt buffer layer thickness 23

G. Wiatrowski, G. Bayreuther and K. Pruegl
Multicompensation effects in multilayers 26

G.N. Kakazei, A.F. Kravetz, N.A. Lesnik, M.M. Pereira de Azevedo, Yu.G. Pogorelov, G.V. Bondarkova, V.I. Silantiev and J.B. Sousa
Influence of co-evaporation technique on the structural and magnetic properties of CoCu granular films 29

M.F. Li and K.H. Wong
Giant positive magnetoresistance of Ti/Si based films prepared by pulsed laser deposition 31

M. Carbucicchio, M. Rateo, G. Ruggiero, M. Solzi and G. Turilli
Magnetic properties of thermally treated Fe/Al multilayers 33

M. Tejedor, J.A. García, J. Carrizo, L. Elbaile and J.D. Santos
Effect of external stresses on the surface magnetic properties of magnetostrictive amorphous materials 35

A. Ezzir, J.L. Dormann, H. Kachkachi, M. Nogues, M. Godinho, E. Tronc and J.P. Jolivet
Superparamagnetic susceptibility of a nanoparticle assembly: application of the Onsager model 37

M.M. Pereira de Azevedo, G.N. Kakazei, A.F. Kravetz, V.S. Amaral, Yu.G. Pogorelov and J.B. Sousa
GMR in co-evaporated Co–Ag granular thin films 40

A.N. Pohorilyi, A.F. Kravetz, O.V. Shypil, A.Ya. Vovk, C.S. Kim and H.R. Khan
Composition dependence of transport properties in Co–Cu granular films 43

M.N. Baibich, M.G.M. Miranda, G.J. Bracho Rodriguez, A.B. Antunes, H. Rakoto, N. Negre, M. Goiran, J.M. Broto, E.F. Ferrari, F.C.S. da Silva and M. Knobel
Magneto-transport in granular ribbons at high magnetic fields 45

S. Steyaert, J.M. Le Breton, S. Parhofer, C. Kuhrt and J. Teillet
A Mössbauer investigation of sputtered Nd–Fe–B thin films and Nd–Fe–B/Fe/Nd–Fe–B trilayers 48

J. Kasper, H. Leeb and R. Lipperheide
Unique reconstruction of magnetic multilayers using polarized neutron specular reflection 51

R. López, J. Herreros, A. García-Arribas, J.M. Barandiarán and M.L. Fdez-Gubieda
Magnetic study of electrodeposited Cu–Co heterogeneous alloys 53

P. Allia, P. Tiberto, F. Vinai, L. Pareti and G. Turilli
Magnetic correlation among nanosized Co particles in Cu–Co heterogeneous thin films 56

0304-8853/99/$ – see front matter © 1999 Elsevier Science B.V. All rights reserved.

G. Asti, M. Carbucicchio, M. Rateo and M. Solzi
Exchange coupling in nano-metric Fe/Co multilayers 59

A. López, F.J. Lázaro and R. von Helmolt
Magnetic properties of melt-spun $Cu_{97.5}Co_{2.5}$ ribbons 61

L. Spinu, J.L. Dormann, M. Noguès, E. Tronc and J.P. Jolivet
Relaxation under field of the zero-field-cooled magnetisation of γ-Fe_2O_3 nanoparticle assemblies 64

J.A. Cowen, J.G. Booth, J.W. Boyle, K.M. Booth, A.D. Boardman, S.M. Thompson, M. Jackson and J.S.S. Whiting
Brillouin light scattering study of Co/Cr/Co trilayers 67

V.M. Uzdin, N.S. Yartseva and S.V. Yartsev
Noncollinear magnetism of Fe/Cr films and multilayers 70

M.A. Rivero, M. Maicas, E. López, C. Aroca, M.C. Sánchez and P. Sánchez
Study of domain walls in $Fe_{20}Ni_{80}$ and $Fe_{20}Ni_{80}/Cu/Fe_{20}Ni_{80}$ thin films 73

M.S. Rogalski, M.M. Amado, J.B. Sousa and P.P. Freitas
Mössbauer investigation of FeTaN/TaN multilayer systems 75

T. Taniyama, I. Nakatani, H. Yanagihara and E. Kita
Magnetoresistance of zigzag-shaped cobalt wires 77

O.A. Aktsipetrov, E.A. Gan'shina, V.S. Guschin, T.V. Misuryaev and T.V. Murzina
Magneto-induced second harmonic generation and magneto-optical Kerr effect in Co–Cu granular films 80

R. Zuberek, K. Fronc, R. Szymczak, M. Baran, E. Mosiniewicz-Szablewska, S.L. Gnatchenko, A.B. Chizhik, F. Stobiecki and H. Szymczak
Low temperature enhancement of the magnetic anisotropy in Fe/Si multilayers 83

V.M. Uzdin
Quantum-well states in magnetic multilayers and non-Poisson islands formation during epitaxial growth 85

Yu.L. Raikher and V.I. Stepanov
Nonlinear susceptibilities of superparamagnetic fine particles 88

J. Vergara and V. Madurga
Influence of the target morphology on anisotropic GMR of Cu–Co laser ablated thin films 91

T. Shinohara, T. Sato, T. Taniyama and I. Nakatani
Size dependent magnetization of PdFe fine particles 94

J.M. González, M.I. Montero, L. Vázquez, J.A. Martín Gago, D. Givord, C. de Julián and K. O'Grady
Magnetic viscosity of granular Fe films prepared by laser ablation 96

A. Salcedo, J.J. Freijo, J.L. Muñoz, A. Hernando, F. Cebollada and J.M. González
Magnetic relaxation in Co/Ni multilayers with different bilayer thickness: an example of non-Arrhenius behavior 99

S. Sanvito, C.J. Lambert and J.H. Jefferson
GMR in 3d, 4d and 5d transition metals multilayers 101

R. Chandrasekhar, D.J. Mapps, K. O'Grady, J. Cambridge, A. Petford-Long and R. Doole
Studies on the effect of Cobalt and Titanium substitution in NdFeB thin films for magnetic recording media 104

T. Stobiecki, F. Stobiecki, M. Czapkiewicz, J. Wrona, F.J. Castaño and J.L. Muñoz
Oscillatory coupling in NiFe/Cu multilayers with low coercivity 107

G. Henninger, A. Teresiak, F. Präßler, N. Mattern and M. Müller
The influence of copper addition on the structural properties of sputtered multilayers of the FeSiB–CuNb alloy system 110

Yu.G. Pogorelov, G.N. Kakazei, M.M. Pereira de Azevedo and J.B. Sousa
Influence of conduction electrons and dipolar interactions on the susceptibility of granular materials 112

E. Zueco, W. Rave, R. Schäfer, M. Mertig and L. Schultz
Observations of Fe surfaces with magnetic force and Kerr microscopy 115

R.W. Chantrell, N.S. Walmsley, J. Gore and M. Maylin
Initial susceptibility of interacting fine particles 118

M.E. Dávila, D. Arvanitis, J. Hunter Dunn, N. Mårtensson, P. Srivastava, F. Wilhelm and K. Baberschke
Magnetic circular X-ray dichroism of metastable epitaxial Fe on Cu(1 0 0) 120

R. Desfeux, F. Elard, A. Da Costa, Ch. Mathieu, J. Wolfman, J.F. Hamet and Ch. Simon
Irradiation effects on the surface morphology and on the magnetic microstructure of giant magnetoresistance $La_{0.7}Sr_{0.3}MnO_3$ thin films studied by magnetic force microscopy 123

J. Geshev, A.D.C. Viegas and J.E. Schmidt
Unusual remanent magnetization of granular Co/Cu 126

V. Masheva, M. Grigorova, N. Valkov, H.J. Blythe, T. Midlarz, V. Blaskov, J. Geshev and M. Mikhov
On the magnetic properties of nanosized $CoFe_2O_4$ 128

D. Pod'yalovskii, A. Pohorilyi, B. Ivanov, A. Kravets and C.S. Kim
FMR study of granular permalloy-silver films 131

R. Bertacco and F. Ciccacci
Fe/MgO (0 0 1) single-crystal films for electron polarimetry 134

Y.M. Mukovskii and A.V. Shmatok
CMR effect in mono- and polycrystalline $La_{0.7}Sr_{0.3}MnO_{3-z}$ thin films 136

M. García del Muro, X. Batlle and A. Labarta
Surface effects in barium hexaferrite nanoparticles 138

C. de la Fuente, A. del Moral, J.I. Arnaudas, J. Goff, R. Sarthour, R. Cowley, M.R. Wells and R.C.C. Ward
Anomalous thermal expansion in Er_{32}/Lu_{10} superlattice 140

2. Amorphous, disordered and nanocrystalline magnetic materials

D. Fiorani, J.L. Dormann, R. Cherkaoui, E. Tronc, F. Lucari, F. D'Orazio, L. Spinu, M. Nogues, A. Garcia and A.M. Testa
Collective magnetic state in nanoparticles systems (*Invited paper*) 143

L. Fernández Barquín, J.C. Gómez Sal, R. Hauser and E. Bauer
Electrical resistivity of reentrant spin glass $Fe_{91}Zr_9$ under pressure 148

H.K. Lachowicz, R. Żuberek, M. Kuźmiński and A. Ślawska-Waniewska
Magnetic hardening in gradually devitrified Co-based glassy alloys 151

L. Ceniga, L. Novák and É. Kisdi-Koszó
The influence of heat treatment on the Barkhausen effect in the Fe–Cr–B amorphous alloy 154

H. Chiriac and F. Rusu
On electron-beam irradiation effect on the magnetic properties of $Co_{68.25}Fe_{4.5}Si_{12.25}B_{15}$ amorphous ribbons 156

H. Chiriac, T.-A. Óvári, C.S. Marinescu, D. Ménard and P. Ciureanu
Comparative study of the magnetic behavior of Co-rich amorphous fibers and amorphous glass-covered wires 159

H. Chiriac, C.S. Marinescu and T.-A. Óvári
Temperature dependence of the magneto-impedance effect 162

A. García-Arribas, M.L. Fdez-Gubieda and J.M. Barandiarán
Structure and magnetic properties of Fe–Co–P amorphous alloys 164

V.V. Stolyarov, D.V. Gunderov, R.Z. Valiev, A.G. Popov, V.S. Gaviko and A.S. Ermolenko
Metastable states in $R_2Fe_{14}B$-based alloys processed by severe plastic deformation 166

J. Gutiérrez, D. Atkinson, P.T. Squire and J.M. Barandiarán
Domain wall motion influence on the magnetoimpedance effect 169

A. Ślawska-Waniewska, F. Popławski, J.M. Greneche, H.K. Lachowicz and A. Inoue
Magnetic interactions in two-phase nanocrystalline systems 171

W.A. Kaczmarek
Structural modifications in magnetic oxides induced by dry and wet milling 173

A. González, A. Zern and A. Hernando
Effect of cobalt nanoclusters on magnetization processes in Co–B amorphous alloys 175

H. Fukunaga, Y. Ichiki, H. Ikezoe and M. Nakano
New nanostructured magnetic material for choke coils 177

J.I. Pérez-Landazábal, C. Gómez-Polo, V. Recarte, J. Vergara, R.J. Ortega and V. Madurga
Effect of the decomposition process in the magnetic properties of disordered FePd alloys 179

J.F. O'Sullivan, P.A.I. Smith, S. David, D. Givord and J.M.D. Coey
Magnetisation reversal in mechanically milled exchange-coupled $Pr_{4.25}Tb_1Fe_{71}Co_{2.5}Cr_3B_{18}$ nanocomposites 182

X. Amils, J. Nogués, S. Suriñach and M.D. Baró
Magnetic investigations on the reordering of a ball milled Fe–40Al at% alloy 185

J. Klenke, H. Eckerlebe, P. Staron, P. Wille and V. Wagner
The spatial structure of the magnetization in the ferromagnetic and the re-entrant spin glass phase of FeNiMn 188

G.F. Goya and H.R. Rechenberg
Ionic disorder and Néel temperature in $ZnFe_2O_4$ nanoparticles 191

K. Závěta, J. Šváb and J. Kamarád
Effect of high pressure on the permeability of amorphous and nanocrystalline FINEMET ribbons 193

I. Todd, H.A. Davies, M.R.J. Gibbs, F. Leccabue and B.E. Watts
The effect of ambient gases on surface quality and related properties of nanocrystalline soft magnetic ribbons produced by melt spinning 196

P.A.I. Smith and J.M.D. Coey
Structure and magnetic properties of nanocrystalline solid solutions of In in Fe 199

L. del Riego, M. El Ghannami, M. Domínguez, C.F. Conde and A. Conde
Superparamagnetic behaviour of a nanocrystalline Fe(CrMo)SiBCuNb alloy 201

M.L. Fdez-Gubieda, I. Orue, P. Gorria, A. García-Arribas, J.M. Barandiarán, R. Lopez, S. Pizzini and A. Fontaine
Different ferromagnetic character of Fe in FeB and FeP amorphous alloys 204

G.F. Korznikova, A.V. Korznikov, L.A. Syutina and Kh.Ya. Mulyukov
Magnetic hysteric properties and saturation magnetization of nanocrystalline iron 207

K.-S. Kim, Y.H. Seong, S.-C. Yu, S.H. Lim and K.-W. Lee
The temperature dependence of magnetization of B containing melt-spun Tb–Dy–Fe alloys 209

C. Kussbach, M. Schwetz, T. Ericsson, R. Grössinger and M. Dahlgren
Exchange coupling between soft magnetic grains in $Pr_9Fe_{85}B_6$ 211

M. Multigner, A. Hernando, P. Crespo, C. Stiller, J. Eckert and L. Schultz
Structural and magnetic properties of mechanically alloyed $(Fe_xCu_{1-x})_{93}Zr_7$ ($x = 0.5, 0.7$) solid solutions 214

P. Vojtanik, R. Matejko, R. Varga, H. Sassik and R. Grössinger
Magnetic after-effect in FeNiZrCuB amorphous alloys 216

M. Gabás, J.R. Ramos-Barrado, F.J. Pérez-Reina, E. Rodríguez-Castellón and A. Jiménez-López
Magnetic behaviour of Li^+-exchanged mixed Fe–Cr oxide pillared α-zirconium phosphate 218

P. Marín, M. Vázquez and A. Hernando
Magnetic hardening during the amorphous to nanocrystalline transformation in FeSiBCuNb alloys: theoretical considerations 221

C. Favieres, C. Aroca, M.C. Sánchez, K.V. Rao and V. Madurga
Giant magnetoimpedance in twisted amorphous CoP multilayers electrodeposited onto Cu wires 224

R. Varga, R. Matejko, P. Vojtanik, P. Agudo, R. Grössinger and H. Sassik
Influence of Pr on stability of magnetic and structural properties of amorphous and nanocrystalline PrFeCuNbSiB alloys 227

R. Varga and P. Vojtanik
Temperature dependence of the magnetic properties of amorphous $Fe_{80-x}Cr_xSi_6B_{14}$ ($x = 0$–14) alloys 230

K. Yamada, K. Yamaguchi, K. Isozaki, S. Isige and R. Groessinger
Nanocrystallization-controlled magnetoresistance of amorphous ribbon $Fe_{86}Zr_7Cu_1B_6$ 233

H. Chiriac and N. Lupu
Magnetic properties of (Nd,Ce,Pr)–Fe–(Si,Al) bulk amorphous materials 235

O.A. Chubykalo, J.M. González, G.R. Aranda and J. González
Micromagnetic modeling of field and thermally activated demagnetization processes in ultrathin films with in-plane anisotropy 238

E.H.C.P. Sinnecker, C. Marquina, X. Amils, Z. Arnold, M.R. Ibarra, M.D. Baró, J.M. González and A. Hernando
Correlation between thermal expansion and magnetic behavior in cold deformed Fe–Al alloys 240

J.A. de Toro, M.A. López de la Torre, R. Sáez Puche and J.M. Riveiro
Magnetic characterization of mechanically alloyed $Fe_{30}(Al_{1-x}Cu_x)_{70}$ 243

R.M. Jurado, J.A. González and J.M. Riveiro
Magnetic properties of $Co_{100-x}P_x$ alloys 246

P. Aragoneses, J.M. Blanco, A.F. Cobeño, L. Dominguez, J. Gonzalez, A. Zhukov and V. Larin
Stress dependence of the switching field in Co-rich amorphous microwires 248

J.A. Mendes, C.S. Abreu, V.S. Amaral, J.M. Moreira, J.B. Sousa, L. Thomas, B. Barbara, H. Rakoto and S. Askenazy
Magnetic and transport properties of amorphous Gd–V films 251

I. Ardelean, M. Peteanu, V. Simon, O. Cozar, F. Ciorcas and S. Lupsor
Structural and magnetic properties of $CuO–TeO_2–B_2O_3–SrO$ glasses 253

I. Ardelean, Gh. Ilonca, V. Simin, I. Barbur, S. Filip and T. Jurcut
Magnetic susceptibility study of $CoO–Bi_2O_3–PbO$ glasses 255

I. Ardelean, M. Peteanu, V. Simon, S. Filip, F. Ciorcas and I. Todor
Electron paramagnetic resonance study of Fe_2O_3–Bi_2O_3–GeO_2 glasses 257

G.V. Kurlyandskaya, M. Vázquez, J.L. Muñoz, D. García and J. McCord
Effect of induced magnetic anisotropy and domain structure features on magnetoimpedance in stress annealed Co-rich amorphous ribbons 259

V. Soyka, L. Kraus, K. Závěta and K. Jurek
Magnetoelastic properties of stress/field annealed $Fe_{80}Cr_2B_{14}Si_{14}$ amorphous alloy 262

Th. Klupsch, E. Steinbeiss, R. Müller, C. Ulbrich, W. Schüppel, H. Steinmetz and Th. Höche
Magnetic glass ceramics – preparation and properties 264

O.V. Stognei and Ö. Rapp
Thermomagnetic hysteresis in amorphous Tb–Cr alloys 266

O. Cozar, I. Ardelean, V. Simon, V. Mih and N. Vedean
EPR study of phosphate glasses containing two types of transitional metal ions 269

E.M. Alcalá, E. López, C. Aroca, M.C. Sánchez and P. Sánchez
Hydrogen effect on low-field magnetic properties of amorphous alloys 272

V. Franco, X. Batlle, A. Labarta, P. Bassas and F. Sandiumenge
The microstructure of CoFe–AgCu granular films: Origin of the perpendicular anisotropy 274

3. Permanent magnets and their applications

B.J. Chalmers and R. Akmeşe
Synchronous machines with inset surface Nd–Fe–B magnets (*Invited paper*) 277

Y. Amako, R. Vert, D. Fruchart and D. Gignoux
Magnetic anisotropy of a $DyFe_{10.5}Mo_{1.5}$ single crystal 280

J. Pištora, M. Lesňák, J. Vlček and J. Foukal
Magnetic defectoscope with permanent magnets 283

E. Gratz, A. Lindbaum and P. Pototschnig
Determination of the easy axis of magnetization by X-ray powder diffraction 286

W. Fernengel, W. Rodewald, R. Blank, P. Schrey, M. Katter and B. Wall
The influence of Co on the corrosion resistance of sintered Nd–Fe–B magnets 288

E.H.C.P. Sinnecker, E. Ferrara, P. Tiberto, M. Baricco and F. Vinai
Magnetic properties of Ga substituted Nd–Fe–B composite 291

A. Calleja, E. Tijero, B. Martínez, S. Piñol, F. Sandiumenge and X. Obradors
Hexaferrite particles by coprecipitation and lyophilization 293

A. Nakanishi, M. Ueda, T. Okuda, N. Mizutani, J. Nishiyama, M. Motokawa, Z. Wang, N. Adachi and H. Ohsato
Compositional and structural study of RF-sputtered Nd–Fe–B thin film 295

M. Kubis, O. Gutfleisch, K.-H. Müller, I.R. Harris and L. Schultz
Microstructure and HDDR-processing of as-cast $Sm_{10.5}Fe_{88.5}Zr_{1.0}$ 297

L.H. Lewis and V. Panchanathan
The influence of chromium additions on the magnetic properties of $Nd_2(Fe,Co)_{14}B$-based nanocomposites 299

S. Sério, A.P. Gonçalves, J.C. Waerenborgh, M. Almeida and M. Godinho
Structural and magnetic studies on $UFe_4Al_{8-x}Ga_x$ $(0 < x < 2)$ 302

H. Zwick, T. Schrefl and J. Fidler
PD-simulation of powder compaction for Nd–Fe–B magnets 305

J.J. Melero, R. Burriel, E. Tomey and D. Fruchart
Thermomagnetic study of $ErFe_{10.5}Mo_{1.5}$ 307

Y. Kawai, V.A.M. Brabers, Z. Šimša and J.H.J. Dalderop
Ultrasonic attenuation in a $BaTiFe_{11}O_{19}$ single crystal 309

V.A.M. Brabers, A.A.E. Stevens, J.H.J. Dalderop and Z. Šimša
Magnetization and magnetic anisotropy of $BaFe_{12-x}Ti_xO_{19}$ hexaferrites 312

4. Soft magnetic materials and applications, magnetic sensors and devices

P.J. van der Zaag
New views on the dissipation in soft magnetic ferrites (*Invited paper*) 315

N.V. Dmitrieva, G.V. Kurlyandskaya, V.A. Lukshina and A.P. Potapov
The recovery kinetics of the magnetic anisotropy induced by stress annealing of the amorphous Co-based alloy with low Curie temperature 320

O. Hubert, L. Hirsinger and E. Hug
Experimental influence of internal stresses on the anhysteretic curve of 3% SiFe nonoriented alloys 322

A. Hubert and W. Rave
How well-defined are closure domains? 325

D. Nuetzel, G. Rieger, J. Wecker, J. Petzold and M. Mueller
Nanocrystalline soft magnetic composite-cores with ideal orientation of the powder-flakes 327

M. Tejedor, B. Hernando, M.L. Sánchez, V.M. Prida and M. Vázquez
Stress and magnetic field dependence of magneto-impedance in amorphous $Co_{66.3}Fe_{3.7}Si_{12}B_{18}$ ribbons 330

G. Vértesy, A. Gasparics and Z. Vértesy
Improving the sensitivity of Fluxset magnetometer by processing of the sensor core 333

M. Enokizono, I. Tanabe, K. Takahashi, Y. Yoshida and T. Kubota
Effects of scratching on two-dimensional magnetic properties in grain-oriented silicon steel sheet 335

M. Enokizono, I. Tanabe and T. Kubota
Localized distribution of two-dimensional magnetic properties and magnetic domain observation 338

M. Nakano, T. Okamoto, H. Fukunaga, Y. Yamashiro, K. Ishiyama and K.I. Arai
Ultra-low iron loss in new non-oriented silicon steel sheets 341

M. Nakano, K. Ishiyama, K.I. Arai and H. Fukunaga
Relationship between rolling direction and texture in thin grain-oriented 3% silicon sheets 344

O. Thoumire, H. Atmani, J. Teillet and E. Beucher
Structural, mechanical and magnetic properties of nitrided FeSi and FeSiAl sheets 346

T. Kanada and M. Enokizono
Fe-based magnetic shape memory alloy-sheet specimen 349

J.-H. Kim, D.-G. Park, C.-I. Ok, E.-P. Yoon and J.-H. Hong
Effect of microstructures on magnetic Barkhausen noise level in the weld HAZ of an RPV steel 351

L. Kraus
The theoretical limits of giant magneto-impedance 354

M. Müller, A. Novy, M. Brunner and R. Hilzinger
Powder composite cores of nanocrystalline soft magnetic FeSiB-CuNb alloys 357

J. Sláma, R. Vicen, P. Krivošik, A. Grusková and R. Dosoudil
Magnetic permeability study of composite magnetopolymers 359

P. Andrei, O.F. Caltun, C. Papusoi, A. Stancu and M. Feder
Losses and magnetic properties of Bi_2O_3 doped MnZn ferrites 362

H. Chiriac, E. Hristoforou, M. Neagu and I. Darie
Fe-rich glass covered amorphous wires used as magnetostrictive delay lines 365

H. Chiriac, C.S. Marinescu and M. Marinescu
New sensor based on FeBSi amorphous glass covered wire for torsion oscillations recording 367

M. Oka, M. Enokizono, T. Todaka, M. Akita, T. Chady, Y. Tsuchida, R. Sikora and S. Gratkowski
High sensitive rotational magnetic flux sensing 369

M. LoBue, V. Basso, F. Fiorillo and G. Bertotti
Effect of tensile and compressive stress on dynamic loop shapes and power losses of Fe–Si electrical steels 372

D. Kleemann and R. Hanitsch
Novel low-cost and low-speed asynchronous linear motor 375

J.M. Blanco, A. Zhukov and J. Gonzalez
Effect of tensile and torsion on GMI in amorphous wire 377

F.J.G. Landgraf, M. Emura, J.C. Teixeira, M.F. de Campos and C.S. Muranaka
Anisotropy of the magnetic losses components in semi-processed electrical steels 380

D.G. Park, C.I. Ok, H.T. Jeong, I.H. Kuk and J.H. Hong
Nondestructive evaluation of irradiation effects in RPV steel using Barkhausen noise and magnetoacoustic emission signals 382

N.S. Perov, A.A Radkovskaya, A.S. Antonov, N.A. Usov, S.A. Baranov, V.S. Larin and A.V. Torcunov
Magnetic properties of short amorphous microwires 385

P. Tiberto, F. Vinai, O. Rampado, H. Chiriac and T.A. Ovari
Giant magnetoimpedance effect in melt-spun Co-based amorphous ribbons and wires with induced magnetic anisotropy 388

P. Ciureanu, M. Britel, D. Ménard, C. Akyel, A. Yelon, M. Rouabhi and R.W. Cochrane
Anisotropic behaviour of permalloy wires using the giant magnetoimpedance effect 391

J.H. Paterson, R. Devine and A.D.R. Phelps
Complex permeability of soft magnetic ferrite/polyester resin composites at frequencies above 1 MHz 394

A.N. Antonenko, E. Sorkine, A. Rubshtein, V.S. Larin and V. Manov
High-frequency properties of micro-wire cores 397

5. Magnetic semiconductors, magnetic insulators and microwave magnetics

S.A. Nikitov
Nonlinearity: magneto-optic–microwave interactions. Towards new devices (*Invited paper*) 400

I.E. Dikshtein and S.-H. Suck Salk
Nonlinear self-localized magnetoelastic surface waves in antiferromagnetic media 404

J. Alvarez, T.V. Sagredo and J. Mantilla
Crystal growth, thermodynamic and magnetic characterization of the $NiIn_{2-2x}Cr_{2x}S_4$ single crystals 407

A. Snezhko, J. Englich, J. Kohout, H. Stěpánková and H. de Gronckel
Temperature dependence of NMR spectra in YIG with nonmagnetic impurities 410

H. Štěpánková, P. Novák, J. Englich, J. Kohout, E.G. Caspary, M. Kučera, K. Nitsch and H. de Gronckel
Applicability of NMR to impurities detection in YIG thin films 412

J. Kohout, H. Štěpánková, J. Englich, P. Novák, M. Kučera, K. Nitsch and H. de Gronckel
Anisotropy of iron hyperfine field in Ga-substituted YIG 415

L.J. Maksymowicz, M. Lubecka, R. Jabłoński and J. Sokulski
Magnetic anisotropy of semiconductor thin films 418

M.-J. Malliavin, O. Acher, C. Boscher, F. Bertin and V.S. Larin
High-frequency permeability of thin amorphous wires with various anisotropic fields 420

V. Sagredo, J. Mantilla, E. Moreno and R. Zysler
Magnetic properties of T–$InCrS_4$ (T: Fe, Ni, Co) single crystals 423

W. Szuszkiewicz, B. Hennion, M. Jouanne, J.F. Morhange, E. Dynowska, E. Janik and T. Wojtowicz
Selected properties of AFM-III structures – cubic MnTe and diluted magnetic semiconductors: CdMnTe and MgMnTe 425

T. Ogawa, M. Shirai, N. Suzuki and I. Kitagawa
First-principles calculations of electronic structures of diluted magnetic semiconductors (Ga,Mn)As 428

M. Kačmár, M. Orendáč, J. Černák and A. Feher
The experimental study of the magnetic field dependence of specific heat in $S = \frac{1}{2}$ quantum-spin chain $CuSO_4 \cdot 5H_2O$ 430

E. Čižmár, M. Kačmár, M. Orendáč, A. Orendáčová, J. Černák and A. Feher
Magnetic properties of $Ni(C_5H_5N)_2Ni(CN)_4 - 2d$ $S = 1$ Heisenberg magnet with easy-axis anisotropy 433

M. Lubecka, L.J. Maksymowicz and R. Szymczak
Critical lines of semiconductor thin films – REE 435

M.C. Morón, J. Campo, F. Palacio, G. Attolini and C. Pelosi
$Zn_{1-x}Mn_xGa_2Se_4$: a new series of diluted magnetic semiconductors 437

M. Ishizuka, S. Henmi, S. Endo, M.C. Morón and F. Palacio
Magnetic behavior of $CsMnF_4$ under high pressure 440

A. Koda, T.C. Kobayashi, K. Amaya and M. Yamashita
Field-induced 3D-LRO of Haldane-gap antiferromagnet NDMAZ 443

6. Magnetic oxides and anomalous magnetoresistance materials

Cz. Kapusta and P.C. Riedi
NMR spectroscopy in mixed valence manganites (*Invited paper*) 446

N.G. Bebenin and V.V. Ustinov
Shift of mobility edge as an origin of colossal magnetoresistance in heavily doped lanthanum manganites 451

A. de Andrés, J.L. Martínez, J.M. Alonso, E. Herrero, C. Prieto, J.A. Alonso, F. Agulló and M. García-Hernández
Raman phonons in orthorhombic manganites 453

X. Bohigas, E. del Barco, M. Sales and J. Tejada
Magnetocaloric effect in $La_{0.65}Ca_{0.35}Ti_{1-x}Mn_xO_3$ ceramic perovskites 455

S. Díaz-Castañón, F. Leccabue, B.E. Watts and G. Albanese
Magnetic and Mössbauer investigation of Sc- and In-substituted $PbFe_{12}O_{19}$ hexaferrites 458

A. Nossov, J. Pierre, P. Strobel, V. Vassiliev, B. Slobodin, E. Vladimirova, V. Machkaoutsan and V. Ustinov
Extrinsic magnetoresistance in bulk sintered manganites 461

N. Rezlescu, L. Rezlescu, M.L. Craus and E. Rezlescu
Magnetic glass-ceramic containing fine ferrite crystals 463

V. Franco, X. Batlle and A. Labarta
Training behaviour and magnetic domains in CoFe–AgCu granular films 465

O. Crisan, J.M. Le Breton, A. Jianu, A. Maignan, M. Noguès, J. Teillet and G. Filoti
Structural and magnetic properties of magnetoresistive Cu–Co–Fe ribbons 467

F. Rivadulla, L.E. Hueso, C. Jardón, C. Vázquez-Vázquez, M.A. López-Quintela, J. Rivas, M.T. Causa, C.A. Ramos and R.D. Sánchez
Effect of porosity on FMR linewidth of $Ln_{0.67}A_{0.33}MnO_3$ (Ln = La, Pr; A = Ca, Sr) 470

A. Metz, N.M. Pyka, M. Loewenhaupt, A.A. Menovsky and R. van de Kamp
Temperature dependence of the magnetic excitations in Nd_2CuO_4 473

C. Jardón, F. Rivadulla, L.E. Hueso, A. Fondado, M.A. López-Quintela, J. Rivas, R. Zysler, M.T. Causa and R.D. Sánchez
Oxperimental study of charge ordering transition in $Pr_{0.67}Ca_{0.33}MnO_3$ 475

J.L. García-Muñoz, A. Llobet, C. Frontera, J. Fontcuberta, X. Obradors and C. Ritter
Charge localization and magnetic dynamics in manganites 477

B. Martínez, Ll. Balcells, M. Respaud, F. Sandiumenge, J. Fontcuberta and X. Obradors
Surface and interfacial effects in ceramic manganites 479

F. Prado, R. Zysler, L. Morales, A. Caneiro, M. Tovar and M.T. Causa
Two-phase field at high temperature in $LaMnO_{3.00}$ 481

J. Liebe, L. Haupt, A. Kattwinkel, N. Hamad, G.H. Rao, K. Bärner, E. Gommert, J. Wecker, R.v. Helmolt, R. Braunstein, G.S. Sun and I.V. Medvedeva
Evidence of photogenerated carriers in the semiconducting state of $Nd_{0.67}Sr_{0.37}MnO_{3-\delta}$ epitaxial layers 484

J. Mira, J. Rivas, K. Jonason, P. Nordblad, M.P. Breijo and M.A. Señarís Rodríguez
Spin dynamics of $La_{0.85}Sr_{0.15}CoO_3$ perovskite 487

P.B. Tavares, V.S. Amaral, J.P. Araújo, A.A.C.S. Lourenço, J.M. Vieira and J.B. Sousa
Deposition of $LaCaMnO_3$ thin films using aerosol-assisted metalorganic chemical vapor deposition (MOCVD) substrate and annealing effects 490

J.P. Andrés, J. Colino and J.M. Riveiro
Enhancement of GMR in as-deposited Co–Cu granular films with RF sputtering power 493

A.A.C.S. Lourenço, J.P. Araújo, V.S. Amaral, P.B. Tavares, J.B. Sousa, J.M. Vieira, E. Alves, M.F. da Silva and J.C. Soares
Properties of epitaxial LaCaMnO laser ablated thin films on (1 0 0) and (1 1 0) $SrTiO_3$ substrates 495

P.R.T. Pugh, J.G. Booth, J.W. Boyle, J.A. Cowen, A.D. Boardman, I. Zavislyak, V. Bobkov and V. Romanyuk
Investigations of annealed epitaxial Ga:YIG(111) films by Brillouin light scattering and microwave spectroscopy 498

A.A. Mukhin, V.Yu. Ivanov, V.D. Travkin, S.P. Lebedev, A. Pimenov, A. Loidl and A.M. Balbashov
Magnetic and submillimeter spectroscopy study of phase transitions in $La_{1-x}Sr_xMnO_3$ perovskites: T–x phase diagram 501

O. Cabeza, O. Barca, G. Francesconi, M.A. Bari, C. Severack, C.M. Muirhead and F. Miguélez
Magnetic and electrical properties of Cr-doped $La_{0.7}Ca_{0.3}MnO_3$ 504

M.T. Causa, G. Alejandro, R. Zysler, F. Prado, A. Caneiro and M. Tovar
Jahn–Teller effects on the superexchange interactions in $LaMnO_3$ 506

F. Martín, G. Jakob, W. Westerburg and H. Adrian
Growth mechanism and transport properties of thin $La_{0.67}Ca_{0.33}MnO_3$ films 509

M. Castro, R. Burriel and S.W. Cheong
Magnetic and heat-capacity anomalies of $La_{7/8}Ca_{1/8}MnO_3$ 512

V. Skumryev, H.J. Blythe, J. Cullen and J.M.D. Coey
AC susceptibility of a magnetite crystal 515

M.M. Savosta and P. Novák
Temperature dependence of ^{55}Mn NMR spectra in $Pr_{1-x}Ba_xMnO_3$ 518

J.L. Martínez, A.de Andrés, M. García-Hernández, C. Prieto, J.M. Alonso, E. Herrero, J. González-Calbet and M. Vallet-Regí
Phase diagram on $La_{1-x}Ca_xMnO_3$ 520

H. Aliaga, R. Allub and B. Alascio
Phase diagram of electron-doped Mn perovskites 522

V.G. Bar'yakhtar, A.N. Pogorilyi, N.A. Belous and A.I. Tovstolytkin
Sintering temperature dependence of the magnetoresistance in $(La_{1-x}Sr_x)MnO_{3-\delta}$ ($x = 0.15$–0.30) polycrystalline samples 525

M. Baran, R. Szymczak, H. Szymczak, E. Mosiniewicz-Szablewska, L. Lenoyuk, G.-J. Babonas and V. Maltsev
Observations of spin gaps in the $S = \frac{1}{2}$ quasi-one-dimensional magnet $A_{10}Cu_{17}O_{29}$ (A = Sr, Ca, Y, Bi) 527

M. Garcia-Hernandez, J.L. Martinez, A. de Andrés, C. Prieto, A. Muñoz-Martin, E. Herrero, J.M. Alonso and L. Vazquez
La–Ca–Mn–O Manganites thin films on silicon 530

M. Baran, Yu.P. Gaidukov, N.P. Danilova, A.V. Inushkin, A. Jedrzejczak, Yu.A. Koksharov, V.N. Nikiforov, A. Revcolevschi, R. Szymczak and H. Szymczak
Low temperature magnetic ordering in Bi_2CuO_4 532

G. Subías, J. García, J. Blasco, M.G. Proietti and M.C. Sánchez
Local structure around Mn atom in the $LaMnO_{3+\delta}$ system 534

W. Westerburg, G. Jakob, F. Martin and H. Adrian
High-temperature transport properties of $La_{0.67}Ca_{0.33}MnO_3$ films 536

V.E. Arkhipov, V.S. Gaviko, A.V. Korolyov, V.E. Naish, V.V. Marchenkov, Ya.M. Mukovskii, S.G. Karabashev, D.A. Shulyatev and A.A. Arsenov
Structural and magnetic phase transition in $La_{0.9}Sr_{0.1}MnO_3$ 539

J. Pérez, J. Blasco, J. García, M. Castro, J. Stankiewicz, M.C. Sánchez and R.D. Sánchez
Magnetic properties of $SmNiO_3$ 541

A. Peña, J.J. Blanco, M. Insausti, L. Lezama, J. Gutiérrez, J.M. Barandiarán and T. Rojo
Synthesis characterization and magnetic properties of the $Ln_{0.7}A_{0.3}Mn_{0.9}Fe_{0.1}O_3$ (Ln = La, Nd; A = Pb, Cd) manganites 543

M. Vázquez, J.M. García-Beneytez, J. Arcas, F.J. Castaño, J. Mira, J. Rivas, M.P. Breijo and M.A. Señaris-Rodriguez
Magnetic behaviour near the magnetic-phase transition in $La_{1-x}Sr_xCoO_3$ ($0.20 \leqslant x \leqslant 0.30$) perovskites 546

A. Llobet, C. Ritter, C. Frontera, X. Obradors, J.L. García-Muñoz and J.A. Alonso
Structural instability vs. bandwidth-controlled charge ordering in $x = \frac{1}{2}$ manganites 549

7. Molecular magnetism, ferrofluids, biomagnetism and geomagnetism

J. Tejada, J.M. Hernandez and E. del Barco
Macroscopic quantum tunneling of the magnetic moment (*Invited paper*) 552

E. Coronado, J.R. Galán-Mascarós, C.J. Gómez-García and R. Burriel
A molecular chemical approach to the magnetic multilayers 558

G. Filoti, J. Bartolome, D.P.E. Dickson, C. Rillo, I. Prisecaru, T. Jovmir, V. Kuncser and C. Turta
Intermediate frustration in $[Fe_3O(CH_3COO)_6(H_2O)_3]NO_3 \cdot 4(H_2O)$ trinuclear cluster 561

K. Falk, R. Werner, Z. Tomkowicz, M. Balanda and W. Haase
Manganese (III)-porphyrin-TCNE-systems with three-dimensional magnetic ordering at ~ 20 K 564

S. Kokado and N. Suzuki
Staggered susceptibility of $S = \frac{1}{2}$ exchange-alternating chains studied by exact diagonalization method 566

M. Wolf, K. Ruck, D. Eckert, G. Krabbes and K.-H. Müller
Spin–flop transition in the low-dimensional compound $Ba_3Cu_2O_4Cl_2$ 569

V. Murariu, N. Rezlescu, O. Rotariu and R. Badescu
Modelling of density separation of solids in ferrofluids in a cell with HGMS-axial structure 571

M. Bartoszek and Z. Drzazga
A study of magnetic anisotropy of blood cells 573

Z. Jagličić, J. Lužnik, J. Pirnat, Z. Trontelj, A. Omerzu and D. Mihailovic
Magnetism in some charge donor – C_{60} compounds: SQUID measurements and model studies 576

I. Potočová, M. Koneracká, P. Kopčanský, M. Timko, L. Tomčo, J. Jadžyn and G. Czechowski
The influence of magnetic field on electric Fredericksz transition in 8CB-based ferronematic 578

G. Antorrena, F. Palacio, M. Castro, R. Pellaux and S. Decurtins
Thermal and magnetic study of mixed-metal oxalate-bridged 2D magnets 581

M. Evangelisti, F. Bartolomé, J. Bartolomé, M.L. Kahn and O. Kahn
Specific heat and magnetic interactions in spin ladder gadolinium and copper-based molecular ferromagnets 584

P.C. Fannin and S.W. Charles
AC and DC magnetic measurements on colloidal suspensions of Co particles 586

A. Caramico D'Auria, U. Esposito, F. Esposito, D. Gatteschi, G. Kamieniarz and S. Wałcerz
Characterization of $s = 1$ molecular magnetic chains 589

8. Magnetic recording, magneto-optics and memory devices

A.E. Berkowitz, R.H. Kodama, S.A. Makhlouf, F.T. Parker, F.E. Spada, E.J. McNiff Jr. and S. Foner
Anomalous properties of magnetic nanoparticles (*Invited paper*) 591

K. Shinagawa, S. Matsubayashi, K. Ando, T. Saito and T. Tsushima
Temperture dependence of Faraday rotation in Co^{2+}-substituted magnetic garnet 595

L. Blanco-Gutiérrez, C. Dehesa, L.M. Álvarez-Prado, J. Díaz and J.M. Alameda
Transverse Kerr effect as an analytical tool in the study of the magnetism of transition metal–yttrium alloys 597

C. Michelakis, D. Samaras and G. Litsardakis
Parameter identification in vector Preisach hysteresis modelling 599

G. Bottoni
Switching volumes in high-density recording materials with different magnetization reversal modes 602

M. Kučera, P. Beránková and I. Tichý
Magneto-optical properties of UFe_2 604

V.O. Golub, V.V. Danilov, A.M. Pohorily and I.V. Zavislyak
Applied aspects of domain-acoustic echo in polycrystalline ferrites 607

V.O. Golub, V.V. Danilov, V.V. Kotov and A.M. Pohorily
Formation of magnetic image of acoustic signal in polycrystalline magnetic media 609

M. Inoue, K. Matsumoto, K.I. Arai, T. Fujii and M. Abe
Preparation and properties of magneto-optical micro-cavities composed of Co thin film and dielectric multilayers 611

K. Ichihara, Y. Okamoto, K. Kakiuchi, H. Osawa and H. Saito
Bit-error rate performance of various (1,7) coded PRML systems 614

D. Süß, T. Schrefl, J. Fidler and J.N. Chapman
Micromagnetic simulation of the long-range interaction between NiFe nano-elements using the BE-method 617

Z. Šimša, R. Tesař, C. Baubet, Ph. Tailhades and C. Bonningue
Magneto-optical properties of vacancy-defective Mn-ferrite films 620

9. Metallic magnetic materials and itinerant magnetism

C. Lacroix and B. Canals
The itinerant spin-liquid phase of $Y(Sc)Mn_2$ (*Invited paper*) 622

I.H. Hagmusa, E. Brück, F.R. de Boer and K.H.J. Buschow
Specific heat study of the magnetic properties of $ErFe_4Al_8$ 625

K. Kaczmarska, J. Pierre and J. Toboła
Itinerant versus localized magnetism in $CoV_{1-x}Mn_xSb$ solutions 627

T. Kawakami, N. Tanaka and K. Motizuki
Pressure effect on electronic band structures of NiAs-type CrTe, CrSe and CrS 629

S.A. Nikitin, I.A. Tskhadadze, A.V. Morozkin and Yu.D. Seropegin
The influence of Ti on the itinerant magnetism of RTX compounds 632

E. Obradó, E. Vives, L. Mañosa, A. Planes and B. Martínez
Spin-glass phase in the intermetallic Cu–Al–Mn compound 634

A. Gonzàlez-Comas, E. Obradó, Ll. Mañosa, A. Planes and A. Labarta
Magnetoelasticity in the Heusler Ni_2MnGa alloy 637

A.T. Pedziwiatr, M. Artigas, B.F. Bogacz, R. Wielgosz, J. Rubín, J. Bartolomé, C. Rillo and J. Fernández
Spin reorientation phenomena in the $NdYFe_{14-x}Co_xB$ system 639

J. Bogner, M. Reissner and W. Steiner
Dynamics in the spin glass $Fe_{0.5}(Ni_{1-x}Mn_x)_{0.5}$ above the freezing temperature 641

E. Navarro, J.M. García, A. Hernando, A.R. Yavari and R. Durand
Magnetic properties of $Fe_{50}Rh_{50}$ after hydrogenation 644

R. Hauser, E. Bauer, E. Gratz, H. Michor, G. Hilscher and A.S. Markosyan
Giant magnetoresistance in $(Er,R)Co_2$ compounds, R = Tm and Y 647

O. Mikulina, J. Kamarád, Z. Arnold, B. Garcia-Landa, P.A. Algarabel and M.R. Ibarra
Invar behaviour of Y_2Fe_{17} and $YFe_{11}Ti$ single crystals: magnetic moment of Fe under pressure 649

M.I. Bartashevich and T. Goto
Behavior of Co moment in itinerant metamagnet intermetallic compounds under high pressure 651

M. Artigas, C. Piquer, J. Rubín and J. Bartolomé
Preparation of the new compounds $RE(Ta_{\approx 0.5}Fe_{\approx 11.5})$ (RE = Tb, Dy, Ho, Er, Lu) 653

M. Timko, A. Szlaferek, A. Zentko and J. Kováč
Magnetic properties of non-stoichiometric UFe_x compounds obtained by ball milling 655

A.V. Andreev, I.K. Kozlovskaya, N.V. Mushnikov, T. Goto, V. Sechovský, L. Havela, Y. Homma and Y. Shiokawa
Ferromagnetism in the $U_{1-x}Y_xCoAl$ system 658

H. Shiraishi, H. Niida, Y. Iguchi, S. Mitsudo, M. Motokawa, K. Ohayama, H. Miki, H. Onodera, T. Hori and K. Kanematsu
Structural and magnetic properties of Ni_2In type $(Mn_{1-x}Ni_x)_{65}Ga_{35}$ compounds 660

T. Hori, Y. Tsuchiya, S. Funahashi, Y. Shimojo, H. Shiraishi, K. Hojou and Y. Nakagawa
Crystal distortion and magnetic structure of γ-Mn(Au) alloys 663

R. Nishihara, M. Akimitsu, T. Hori, H. Niida, K. Ohoyama, M. Ohashi, Y. Yamaguchi and Y. Nakagawa
Magnetic properties of hp13 type $TiFe_6Ge_6$ alloy 665

N. Tanaka, M. Suzuki and K. Motizuki
Electronic band structure of Li_2CuO_2 667

A. Matsushita and Y. Yamada
Physical properties of Heusler-type Fe_2VAl compound 669

G. Cibin, A. Marcelli, M. Battisti, J. Chaboy, C. Piquer and L. Bozukov
XAS investigation of the relationship between hydrogen uptake and Mn magnetic moment instability in R–Mn compounds 671

I.S. Dubenko, I.Yu. Gaidukova, A.S. Markosyan, R.Z. Levitin, F. Garcia, A.Y. Takeuchi, I.S. Oliveira and A.P. Guimarães
Magnetization studies of the $Y_{1-x}Er_xCo_3$ intermetallics: (T_c–x) phase diagram 674

J.A.H. Coaquira, H.R. Rechenberg and J. Mestnik Filho
Magnetic properties of $Zr(Cr_{1-x}Fe_x)_2$ alloys and their hydrides 677

10. Rare earths and rare earth intermetallics

R.A. Cowley
The magnetic interactions in rare-earth metals and superlattices (*Invited paper*) 680

D. Givord and D. Courtois
Exchange interactions in R–M intermetallics (*Invited paper*) 684

H. Wada, S. Tomekawa and M. Shiga
Magnetocaloric effect of $ErCo_2$ 689

H.G.M. Duijn, E. Brück, K.H.J. Buschow and F.R. de Boer
Electrical resistivity of RMn_6Ge_6 (R = rare earth) compounds 691

T. Maeda and S. Saito
Variation of the work function of Gd caused by the polarization of conduction electrons 694

J.C. Waerenborgh, A.P. Gonçalves, M. Godinho and M. Almeida
Mössbauer effect study of the magnetization cycle of an UFe_4Al_8 single crystal 696

J. Szade and G. Skorek
Electronic structure and magnetism of $Gd_5(Si, Ge)_4$ compounds 699

J. Kamarád, O. Mikulina, Z. Arnold, B. Garcia-Landa, M.R. Ibarra and P.A. Algarabel
Pressure effect on spontaneous magnetization and first-order magnetization process in the Er_2Fe_{17} single crystal 701

M. Morales, M. Artigas, M. Bacmann, D. Fruchart, R. Skolozdra, J.L. Soubeyroux and P. Wolfers
Comparison of the magnetic properties of $ErMn_{12-x}Fe_x$ series with their related hydrides and carbides 703

J.M. Cadogan, K. Suzuki and D. Giel
Magnetic properties and crystallization of amorphous $NdFe_9Si_2$ 705

S.J. Hu, X.Z. Wei, D.C. Zeng, X.C. Kou, Z.Y. Liu, E. Brück, F.R. de Boer and K.H.J. Buschow
Anisotropy evolution in $Ce_2Co_{17-x}Ga_x$ compounds 707

R.P. Pinto, M.M. Amado, M.E. Braga, Yu.G. Pogorelov, B. Chevalier, J. Étourneau and J.B. Sousa
Magnetoresistivity and magnetic phase diagram of Nd_2Ni_2Sn ternary stannide 710

J. Stankiewicz and J. Bartolomé
Hall effect in $Nd_2Fe_{14}B$ single crystal 712

A.V. Andrianov
Helical ordering in terbium suppressed by uniaxial tension 714

E. Kacmarcíková, T. Salonová, M. Reiffers, M. Mihalik and A.A. Menovsky
Point-contact spectroscopy of $DyNi_5$ 716

E. Kacmarcíková, T. Salonová, M. Reiffers, J. García Soldevilla, J.C. Gómez Sal, J.I. Espeso, J. Rodríguez Fernández and J.A. Blanco
Electron–quasiparticle interaction and CEF in PrCu 719

C. Ritter, M.R. Ibarra and C. Marquina
The influence of doping on the stability of a new magnetic ground state in RMn_2-compounds 721

T. Salonová, E. Kacmarcíkova, M. Reiffers, J. García Soldevilla, J.C. Gómez Sal, J.I. Espeso and J.A. Blanco
The study of CEF modification in $Pr_{1-x}Nd_xNi_5$ by point-contact spectroscopy 723

N.V. Baranov, A.A. Yermakov and P.E. Markin
Magnetic and electrical properties of antiferromagnetic $(Gd_{1-x}Y_x)_3Co$ single crystals 726

J.L. Tsai and T.S. Chin
Coercivity mechanism of sputtered NdDyFeB films on W/Si(1 1 1) 728

D. Fruchart, D. Gignoux, C. Inacio, R. Vert and R.V. Skolozdra
Synthesis and magnetic properties of $HoFe_{10.5}Mo_{1.5}C_x$ carbides 731

A. Sokolov, H. Wada, M. Shiga and T. Goto
The effects of competing interactions in $Gd_{1-x}Y_xMn_2Ge_2$ 734

R. Hermann, I. Bächer, W. Löser and L. Schultz
Primary solidification of $Nd_2Fe_{14}B$ by levitation and quenching of undercooled melts 737

O. Zeybek, N.P. Tucker, S.D. Barrett, H.A. Dürr and G. van der Laan
Dichroism in constant final-state photoemission for Gd(0 0 0 1) 4d–4f giant resonance 740

E. Abad, C. Piqué, J.A. Blanco, R. Burriel and M. Artigas
Heat capacity in RFe_xMn_{12-x} compounds 743

E. Abad, C. Piqué, J.A. Blanco, M. Artigas, R. Burriel and M.T. Fernández-Díaz
Magnetic structures of RFe_xMn_{12-x} compounds (R = Tb and Y) 745

Z. Arnold, J. Kamarád, O. Mikulina, B. Garcia-Landa, C. Abadía, M.R. Ibarra and N.V. Kudrevatykh
High-pressure effect on the magnetization and magnetocrystalline anisotropy in a single crystal of $HoFe_{11}Ti$ 748

M. Shiga, H. Nakamura and N. Metoki
The magnetic structure and lattice distortion of YMn_2 and related compounds 751

C. Marquina, A.S. Pavlovic and M.R. Ibarra
Study of the structural instability in $Gd_{1-x}Nd_xCu$ compounds 754

C. Piquer, M. Artigas and J. Bartolomé
Magnetic disaccommodation phenomena in $R_2Fe_{14}BH_x$ (R = Gd, Pr and Dy) compounds 757

S. Ban, N. Ohkubo, K. Itoh and K. Kanematsu
Magnetization, X-ray and Mössbauer studies on change in the magnetic state of Laves-phase compounds $Ce_{1-x}R_xFe_2$ (R = Pr, Nd) 760

M.D. Kuz'min, M. Richter and H. Eschrig
Ab initio calculation of the crystal field in RFe_{12} and RFe_8M_4 (M = Ti, V, Mo) 762

C.V. Thang, L.H. Nam, N.P. Duong, N.P. Thuy and E. Brück
Formation and magnetic properties of the RCo_4Si compounds 765

E. Burzo and V. Pop
Magnetic behaviour of $GdCo_{4-x}Ni_xAl$ intermetallic compounds 768

D. Rubio Temprano, J. Rodriguez Fernández, J.C. Gómez Sal, A. Hernando and J.M. Rojo
Ferro–antiferromagnetic crossover without volume changes in $GdPt_{1-x}Cu_x$ compounds 770

G. Wiesinger, R. Hatzl, Ch. Reichl, R. Groessinger, H. Sassik and K. Knight
In the magnetic structure of $HoFe_{10}Mo_2$ 773

J. Bartolomé and J. Stankiewicz
Electron transport properties of the $R_2Fe_{14}C$ compounds 776

F. Bartolomé, J.M. Tonnerre, L. Sève, D. Raoux, J. Chaboy, L.M. García, M. Krisch and C.C. Kao
Resonant inelastic X-ray scattering study of rare-earth electronic excitation on $R_2Fe_{14}B$ 779

L.D. Tung, J.J.M. Franse, K.H.J. Buschow, P.E. Brommer, J.H.P. Colpa, J.C.P. Klaasse, F.R. de Boer and A.A. Menovsky
Specific heat of a $CeCoAl_4$ single crystal in high magnetic field 782

A.P. Gonçalves, J.C. Waerenborgh, S. Sério, M. Godinho and M. Almeida
Physical properties of UFe_4Al_8 carbides 784

11. Magnetization processes

A. Aharoni
Incoherent magnetization reversals in elongated particles (*Invited paper*) 786

Ş.t.C. Bădescu, V. Bădescu, N. Rezlescu and R. Bădescu
Modeling the dynamics of a domain wall with a π vertical Bloch line 791

K. Elk
Determination of single particle coercivity from rotational hysteresis curves 794

L.M. Alvarez-Prado, F.H. Salas and J.M. Alameda
Inverted hysteresis loops in magnetic multilayers showing macroscopic ferrimagnet behaviour 796

B. Augustyniak
Correlation between acoustic emission and magnetic and mechanical Barkhausen effects 799

K.L. Metlov, J. Kadlecová and I. Tomáš
Preisach description of the domain wall motion 802

L. López-Díaz, L. Torres and J.I. Iñiguez
Spike domains and non-magnetic inclusions: a micromagnetic study 805

R. Morales, G.T. Pérez and J.M. Alameda
Influence of the film inhomogeneity on local magnetization processes in amorphous thin films having perpendicular anisotropy 807

O.A. Chubykalo and J.M. González
Magnetic viscosity in multilayers: a micromagnetic approach 810

L. Sheiko, G. Brekharya, S. Gaiduk and A. Sadovoy
Magnetic stray fields at planar grain boundaries in silicon steel sheets 813

D.N. Zhmetko and P.V. Lemish
The magnetizing mechanism of the amorphous ribbons with the helical magnetic anisotropy 816

O. Iglesias, A. Valencia and A. Labarta
Monte Carlo simulation of the magnetic ordering in thin films with perpendicular anisotropy 819

J. Llumá, M. Vázquez, J.M. Hernandez, J.M. Ruiz, J.M. García-Beneytez, A. Zhukov, F.J. Castaño, X.X. Zhang and J. Tejada
Low temperature magnetization and resistivity measurements in Co based soft magnetic microwires 821

12. Magnetic anisotropy, magnetostriction and related phenomena

K. Kułakowski, M. Antoniuk, J. Deskur and P. Gawroński
Some computational problems with magnetic structure of YMn_2 (*Invited paper*) 824

I. Davidenko, A. Maziewski and A. Stupakiewicz
Linearly polarized light induced changes of domain structure in cobalt doped YIG films 828

P. Garcia Tello, R. Valenzuela, E. Amano, J. Gonzalez, N. Murillo, J.M. Blanco and J.M. Gonzalez
Characterization of Joule-heated Co-rich amorphous alloys under applied tensile stress by the inductance spectroscopy method 830

E.V. Gomonaj and E. Klugmann
Magnetic relaxation in CoPt alloy caused by short-range ordering 832

A.V. Torcunov, S.A. Baranov and V.S. Larin
The internal stresses dependence of the magnetic properties of cast amorphous microwires covered with glass insulation 835

A. Vasil'ev, A. Bozhko, V. Khovailo, I. Dikshtein, V. Shavrov, S. Seletskii and V. Buchelnikov
Structural and magnetic phase transitions in shape memory alloys $Ni_{2+x}Mn_{1-x}Ga$ 837

A. Paoluzi, L. Pareti, F. Albertini, M.R. Ibarra, L. Morellon, B.-P. Hu, Y.Z. Wang and D. Courtois
Magnetocrystalline anisotropy in $RE_3(FeTi)_{29}$ (RE = Sm, Y) intermetallics 840

S.S. Yoon, C.G. Kim, H.C. Kim, K.J. Jang and D.Y. Kim
Relaxation of rotational magnetization in annealed Co-based amorphous ribbons 843

V.D. Mello, L.I. Zawislak, J.B. Marimon da Cunha, E.J. Kinast, J.B. Soares and C.A. dos Santos
Structure and magnetic properties of layered $(Fe_xCo_{1-x})Ta_2O_6$ compounds 846

G. Asti and M. Solzi
Discontinuous free rotations in uniaxial ferrimagnets 848

J.F. Bobo, E. Ould Jouneid, R. Mamy, L. Ressier, J.L. Gauffier and J.C. Ousset
Influence of atomic saw and residual strain on the perpendicular magnetic anisotropy of Au/Co/Au sandwiches 851

K.-S. Kim, Y.-Y. Song, S.-C. Yu and S.H. Lim
The magnetization study of B containing Tb–Fe thin films 854

Yu.G. Pastushenkov, N.P. Suponev, T. Dragon and H. Kronmüller
The magnetic domain structure of $Fe_{14}Nd_2B$ single crystals between 135 and 4 K and the low-temperature magnetization reversal process in Fe–Nd–B permanent magnets 856

V.A. Chernenko, V.A. L'vov and E. Cesari
Martensitic transformation in ferromagnets: experiment and theory 859

C. Dufour, A. Mougin, C. Senet, K. Dumesnil and Ph. Mangin
Strain-induced magnetic anisotropy in (1 1 0) $SmFe_2$ films 861

F. Imbierwitz, J. Pelzl, E. Arnscheidt, M. Acet, H. Zähres, H. Bach and G.A. Saunders
Magnetic and elastic properties of superparamagnetic CoMn-alloys 863

L. Lanotte, G. Ausanio and V. Iannotti
Correlation between Hall effect, structural relaxation and magnetoelastic coupling in $Fe_{81}B_{13}Si_4C_2$ amorphous alloy 865

N. Buiron, L. Hirsinger and R. Billardon
A micro–macro model for magnetostriction and stress effect on magnetisation 868

H. Jaffrès, L. Ressier, R. Mamy, J.P. Peyrade, A.R. Fert, F. N'Guyen Van Dau and A. Schuhl
Strain-induced anisotropy in thin metallic films structured by the atomic saw method 871

13. Heavy fermions, fluctuating valence, Kondo systems and related topics

E. Bauer
Non-Fermi-liquid behaviour of ytterbium compounds (*Invited paper*) 873

B. Chevalier, J.G. Soldevilla, J.C. Gómez Sal, J.M. Barandiarán and J. Etourneau
Magnetoresistivity of the antiferromagnetic Kondo stannide Ce_2Ni_2Sn 878

B. Chevalier and J. Etourneau
Phase equilibria and magnetic behaviour in the Ce–Ni–Ge system 880

A. Mitsuda, H. Wada, M. Shiga, H. Aruga Katori, H. Mitamura and T. Goto
Field-induced valence transition of $EuPd_2Si_2$ and related compounds 883

L.C.J. Pereira, M. Almeida, P. Estrela, M. Godinho, J. Rebizant, J.C. Spirlet, R.P. Pinto, M.M. Amado, M.E. Braga and J.B. Sousa
Magnetic and transport properties of U_2Pt_2In single crystals 885

M. Battisti, A. Marcelli, S. Chudinov, L. Bozukov, C. Piquer and J. Chaboy
Mixed valence behavior in superconducting $La_{1-x}Ce_xRu_2$ compounds 888

A. Guzik, J. Pierre, K. Kaczmarska and B. Ouladdiaf
Magnetic structures of $Ce(Ag_xCu_{1-x})_{1.8}Sb_2$ Kondo compounds 891

I.V. Svechkarev, A.S. Panfilov, S.N. Dolja, H. Nakamura and M. Shiga
Effect of pressure on magnetic susceptibility in $YbInCu_4$ compound 893

J. Rodríguez Fernández, M.A. Argüelles and J.G. Park
A survey of $UPd_2(Al_{1-x}M_x)_3$ compounds (M = Si, Ge) 895

J. García Soldevilla, J.I. Espeso, J. Rodríguez Fernández, J.C. Gómez Sal, J.A. Blanco and M.T. Fernández Díaz
The role of magnetic interactions on the stability of magnetic structures in RCu compounds (R = Ce, Pr and Nd) 898

E. Burzo
Magnetic behaviour of iron, cobalt and nickel in rare-earth (yttrium) compounds 901

14. Magnetic measurement techniques, numerical techniques, strong magnetic fields and high pressures

Y. Yoshida, M. Enokizono, T. Todaka and G. Shirakawa
Vector magnetic properties in arbitrary direction of various kinds of magnetic materials 904

M. Enokizono, K. Takahashi and Y. Yamaura
Development of a new strain gage for measurements of two dimensional magnetostriction 907

M. Enokizono and N. Soda
Core loss analysis of transformer by improved FEM 910

M. Enokizono and Y. Takeshima
Measuring method of magnetic properties of electrical steel sheets under DC-biased magnetization with flux meter 913

G. Kamieniarz, R. Matysiak, A. Caramico D'Auria, F. Esposito and U. Esposito
Transfer-matrix simulations of the antiferromagnetic chains and mesoscopic rings 915

G.D. Howells, A. Oral, S.J. Bending, S.R. Andrews, P.T. Squire, P. Rice, A. de Lozanne, J.A.C. Bland, I. Kaya and M. Henini
Scanning Hall probe microscopy of ferromagnetic structures 917

G. Matteucci and C. Beeli
Visualization of the magnetization changes versus temperature in a thin film using electron holography 920

T. Nakata, K. Hosaka, Y. Ishihara and T. Yamamoto
Inter-comparison of single sheet testers for amorphous alloys by round robin measurements 922

F. Ossart, L. Hirsinger and R. Billardon
Computation of electromagnetic losses including stress dependence of magnetic hysteresis 924

R. Grössinger, H. Krichmayr, H. Sassik, M. Schwetz, M. Taraba, P. Frings, G. Kasper and W. Raithmayr
Austromag–a new high-field facility 927

R. Kolano, I. Pinkiewicz and N. Wójcik
Flux distribution, power losses and harmonics of magnetizing current in three-limb amorphous magnetic circuit 930

W. Scholz, T. Schrefl and J. Fidler
Mesh refinement in FE-micromagnetics for multidomain $Nd_2Fe_{14}B$ particles 933

J. Wrona, M. Czapkiewicz and T. Stobiecki
Magnetometer for the measurements of the hysteresis loop of ultrathin magnetic layers 935

D. Makaveev, M. De Wulf and J. Melkebeek
Field homogeneity in a two-phase rotational single sheet tester with square samples 937

M. De Wulf and J. Melkebeek
On the advantages and drawbacks of using digital acquisition systems for the determination of magnetic properties of electrical steel sheet and strip 940

R. Gollee, Th. Roschke and G. Gerlach
A finite element method based dynamic analysis of a long-stroke linear actuator 943

Author index 946

Subject index 968

Materials index 972